THE UNIVERSITY OF GEORGIA® VETERINARY Diagnostic Laboratories

Athens Veterinary Diagnostic Laboratory

Accession Number: A14-08718

Species: Exotic - Rodents

Received: Sep 18, 2013

Finalized: Sep 30, 2013

College of Veterinary Medicine University of Georgia Athens, GA 30602

Phone: 706-542-5568 Fax: 706-542-5977 www.vet.uga.edu/dlab

Owner:

UGA LIFE SCIENCES UGA LIFE SCIENCES Athens, GA 30602

RDVM:

DR LEANNE ALWORTH

Clinic:

UGA LIFE SCIENCE

C124 LIFE SCIENCES BLDG. ACCT# 10-45-DM 005-007 Athens, GA 30602 (706) 542-0149 ALWORTH@UGA.EDU, robink@uga.edu

Lab Animal

Urar Mouse Minimum

Reported By Sarah Bates, Lab Technician III

Comments

The Inconclusive ELISA result should be interpreted as non-specific fluorescence because it cannot be confirmed by another serological assay. The inconclusive specimen tested negative by MFIA at an outside laboratory.

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
LIFE9A1	-	-	-	-	-	-	-	-
LIFE9A2	-	-	-	-	-	-	-	-
LIFE27A1	-	-	-	-	-	-	-	-
LIFE27A2	-	-	-	-	-	-	-	-
LIFE28A1	-	-	-	I	-	-	-	-
LIFE28A2	-	-	-	-	-	-	-	-
LIFE28B1	-	-	-	-	-	-	-	-
LIFE28B2	-	-	-	-	-	-	-	-

Test Interpretation

+ - Positive - -Negative B - Borderline I - Inconclusive S - Suspect Results authorized by Dr. Susan Sanchez, Section Head.

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

Lab Animal Fecal Flotation

Status: Finalized

Animal ID	Fecal Flotation
LIFE9A1	NO PARASITES SEEN
LIFE9A2	NO PARASITES SEEN
LIFE27A1	NO PARASITES SEEN
LIFE27A2	NO PARASITES SEEN

Accession Number: A14-08718 Monday, 30 Sep 2013 12:07 PM

Page 1 of 2

Lab Animal Fecal Flotation

Animal ID	Fecal Flotation				
LIFE28A1	NO PARASITES SEEN				
LIFE28A2	NO PARASITES SEEN				
LIFE28B1	NO PARASITES SEEN				
LIFE28B2	NO PARASITES SEEN				
LIFE8A1	NO PARASITES SEEN				
LIFE8A2	NO PARASITES SEEN				

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

Lab Animal Pcr

Specimen Desc	Pcr	Pcr Result
Colon - LIFE9A1, 9A2, 27A1	Helicobacter spp.	Negative
Colon - LIFE27A2, 28A1, 28A2	Helicobacter spp.	Negative
Colon - LIFE28BI, 28B2	Helicobacter spp.	Negative

Reported By

Sarah Bates, Lab Technician III

Report Date

2013-09-24

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

Urar Rat Minimum

Animal ID	Rpv	H-1	Krv	Rmv	Ns-1	Send	Pvm	Sda	Reo	Mpul	Gdvii (Tmev)
LIFE8A1	-	-	-	-	-	-	-	-	-	-	-
LIFE8A2	-	-	-	-	-	-	-	-	-	-	-

Test Interpretation

+ - Positive - - Negative B - Borderline I - Inconclusive S - Suspect

Results authorized by Dr. Susan Sanchez, Section Head.

Accession Number: A14-08718 Monday, 30 Sep 2013 12:07 PM

Page 2 of 2