



Owner:

UGA LIFE SCIENCE
C124 LIFE SCIENCE BLDG.
Athens, GA 30602
ALWORTH@UGA.EDU

Accession Number: A14-40382

Received: Jun 03, 2014

Finalized: Jun 13, 2014

Species: Exotic - Rodents

Breed: Mouse

RDVM:

DR LEANNE ALWORTH

Clinic:

UGA LIFE SCIENCE
C124 LIFE SCIENCES BLDG.
ACCT# 10-45-DM 005-007
Athens, GA 30602
(706) 542-0149
robink@uga.edu, ALWORTH@UGA.EDU

Lab Animal

URAR Mouse Minimum

Comments

+ - Positive - -Negative B - Borderline I - Inconclusive S - Suspect

The Inconclusive ELISA results should be interpreted as non-specific fluorescence because they cannot be confirmed by another serological assay. The Inconclusive specimens tested negative by MFIA at an outside laboratory.

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
CRV16A1	-	-	-	-	-	-	-	-
CRV16A2	-	-	-	-	-	-	-	-
CRV18A1	-	-	-	-	-	-	-	-
CRV18A2	-	-	-	-	-	-	-	-
CRV18B1	-	-	-	-	-	-	-	-
CRV18B2	-	-	-	-	-	-	-	-
CRV19A1	-	-	-	-	-	-	-	-
CRV19A2	-	-	-	-	-	-	-	-
CRV20A1	-	-	-	-	-	-	-	-
CRV20A2	-	-	-	-	-	-	-	-
CRV26A1	-	-	-	-	-	-	-	-
CRV26A2	-	-	-	-	-	-	-	-
CRV26B1	-	-	-	-	-	-	-	-
CRV26B2	-	-	-	-	-	-	-	-
CRV26C1	-	-	-	-	-	-	-	-
CRV26C2	-	-	-	-	-	-	-	-
CRV26D1	-	-	-	-	-	-	-	-
CRV26D2	-	-	-	-	-	-	-	-
CRV26E1	-	-	-	-	-	-	-	-
CRV26E2	-	-	-	-	-	-	-	-
CRV26F1	-	-	-	-	-	-	-	-
CRV26F2	-	-	-	-	-	-	-	-
CRV26I1	-	-	-	-	-	-	-	-
CRV26I2	-	-	-	-	-	-	-	-

URAR Mouse Minimum

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
CRV26J1	-	-	-	-	-	-	-	-
CRV26J2	-	-	-	-	-	-	-	-
CRV26K1	-	-	-	-	-	-	-	-
CRV26K2	-	-	-	-	-	-	-	-
CRV26L1	-	-	-	-	-	-	-	-
CRV26L2	-	-	-	-	-	-	-	-
CRV27A1	-	-	-	-	-	-	-	-
CRV27A2	-	-	-	-	-	-	-	-
CRV27B1	-	-	-	-	-	-	-	-
CRV27B2	-	-	-	-	-	-	-	-
CRV27C/D1	-	-	-	-	-	-	-	-
CRV27C/D2	-	-	-	-	-	-	-	-
CRV27E1	-	-	-	-	-	-	-	-
CRV27E2	-	-	-	-	-	-	-	-
CRV27F1	-	-	-	-	-	-	-	-
CRV27F2	-	-	-	-	-	-	-	-
CRV27G1	-	-		-	-	-	-	-
CRV27G2	-	-	-	-	-	-	-	-
CRV28H1	-	-	-	-	-	-	-	-
CRV28H2	-	-	-	-	-	-	-	-
CRV27I1	-	-	-	-	-	-	-	-
CRV27I2	-	-	-	-	-	-	-	-
CRV28A/B1	-	-	-	-	-	-	-	-
CRV28A/B2	-	-	-	-	-	-	-	-
CRV28C1	-	-	-	-	-	-	-	-
CRV28C2	-	-	-	-	-	-	-	-
CRV28D1	-	-	-	-	-	-	-	-
CRV28D2	-	-	-	-	-	-	-	-
CRV28E/F1	-	-	-	-	-	-	-	-
CRV28E/F2	-	-	-	-	-	-	-	-
CRV28G/H1	-	-	-	-	-	-	-	-
CRV28G/H2	-	-	-	-	-	-	-	-
CRV28I/J1	-	-	-	-	-	-	-	-
CRV28I/J2	-	-	-	-	-	-	-	-
CRV32A1	-	-	-	-	-	-	-	-
CRV32A2	-	-	-	-	-	-	-	-
CRV33A1	-	-	-	-	-	-	-	-
CRV33A2	-	-	-	-	-	-	-	-
CRV33B1	-	-	-	-	-	-	-	-
CRV33B2	-	-	-	-	-	-	-	-
CRV33C1	-	-	-	-	-	-	-	-
CRV33C2	-	-	-	-	-	-	-	-
CRV34A1	-	-	-	-	-	-	-	-
CRV34A2	-	-	-	-	-	-	-	-
CRV35A1	-	-	-	-	-	-	-	-
CRV35A2	-	-	-	-	-	-	-	-
CRV43A1	-	-	-	-	-	-	-	-
CRV43A2	-	-	-	-	-	-	-	-
CRV44A1	-	-	-	-	-	-	-	-
CRV44A2	-	-	-	-	-	-	-	-
CRV44B1	-	-	-	-	-	-	-	-
CRV44B2	-	-	-	-	-	-	-	-
CRV44C1	-	-	-	-	-	-	-	-
CRV44C2	-	-	-	-	-	-	-	-

URAR Mouse Minimum

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
CRV44D1	-	-	-	-	-	-	-	-
CRV44D2	-	-	-	-	-	-	-	-
CRV44E/F1	-	-	-	-	-	-	-	-
CRV48C1	-	-	-	-	-	-	-	-
CRV44E/F2	-	-	-	-	-	-	-	-
CRV48C2	-	-	-	-	-	-	-	-
CRV45A1	-	-	-	-	-	-	-	-
CRV48D1	-	-	-	-	-	-	-	-
CRV45A2	-	-	-	-	-	-	-	-
CRV48D2	-	-	-	-	-	-	-	-
CRV45B1	-	-	-	-	-	-	-	-
CRV48E1	-	-	-	-	-	-	-	-
CRV45B2	-	-	-	-	-	-	-	-
CRV48E2	-	-	-	-	-	-	-	-
CRV45C1	-	-	-	-	-	-	-	-
CRV49A1	-	-	-	-	-	-	-	-
CRV45C2	-	-	-	-	-	-	-	-
CRV49A2	-	-	-	-	-	-	-	-
CRV45D1	-	-	-	-	-	-	-	-
EXTRA 1	-	-	-	-	-	-	-	-
CRV45D2	-	-	-	-	-	-	-	-
EXTRA 2	-	-	-	-	-	-	-	-
CRV46A1	-	-	-	-	-	-	-	-
CRV46A2	-	-	-	-	-	-	-	-
CRV48A1	-	-	-	-	-	-	-	-
CRV48A2	I	-	-	-	-	-	-	-
CRV48F1	-	-	-	-	-	-	-	-
CRV48F2	-	-	-	-	-	-	-	-

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

Reported By

Sarah Bates, Lab Technician III

Lab Animal Fecal Flotation

Animal ID	Fecal Flotation
CRV16A1	NO PARSITES SEEN
CRV16A2	NO PARSITES SEEN
CRV18A1	NO PARSITES SEEN
CRV18A2	NO PARSITES SEEN
CRV18B1	NO PARSITES SEEN
CRV18B2	NO PARSITES SEEN
CRV19A1	NO PARSITES SEEN
CRV19A2	NO PARSITES SEEN
CRV20A1	NO PARSITES SEEN
CRV20A2	NO PARSITES SEEN
CRV26A1	NO PARSITES SEEN
CRV26A2	NO PARSITES SEEN
CRV26B1	NO PARSITES SEEN
CRV26B2	NO PARSITES SEEN
CRV26C1	NO PARSITES SEEN
CRV26C2	NO PARSITES SEEN
CRV26D1	NO PARSITES SEEN
CRV26D2	NO PARSITES SEEN

Lab Animal Fecal Flotation

Animal ID	Fecal Flotation
CRV26E1	NO PARSITES SEEN
CRV26E2	NO PARSITES SEEN
CRV26F1	NO PARSITES SEEN
CRV26F2	NO PARSITES SEEN
CRV26I1	NO PARSITES SEEN
CRV26I2	NO PARSITES SEEN
CRV26J1	NO PARSITES SEEN
CRV26J2	NO PARSITES SEEN
CRV26K1	NO PARSITES SEEN
CRV26K2	NO PARSITES SEEN
CRV26L1	NO PARSITES SEEN
CRV26L2	NO PARSITES SEEN
CRV27A1	NO PARSITES SEEN
CRV27A2	NO PARSITES SEEN
CRV27B1	NO PARSITES SEEN
CRV27B2	NO PARSITES SEEN
CRV27C/D1	NO PARSITES SEEN
CRV27C/D2	NO PARSITES SEEN
CRV27E1	NO PARSITES SEEN
CRV27E2	NO PARSITES SEEN
CRV27F1	NO PARSITES SEEN
CRV27F2	NO PARSITES SEEN
CRV27G1	NO PARSITES SEEN
CRV27G2	NO PARSITES SEEN
CRV28H1	NO PARSITES SEEN
CRV28H2	NO PARSITES SEEN
CRV27I1	NO PARSITES SEEN
CRV27I2	NO PARSITES SEEN
CRV28A/B1	NO PARSITES SEEN
CRV28A/B2	NO PARSITES SEEN
CRV28C1	NO PARSITES SEEN
CRV28C2	NO PARSITES SEEN
CRV28D1	NO PARSITES SEEN
CRV28E/F1	NO PARSITES SEEN
CRV28E/F2	NO PARSITES SEEN
CRV28G/H1	NO PARSITES SEEN
CRV28G/H2	NO PARSITES SEEN
CRV28I/J1	NO PARSITES SEEN
CRV28I/J2	NO PARSITES SEEN
CRV32A1	NO PARSITES SEEN
CRV32A2	NO PARSITES SEEN
CRV33A1	NO PARSITES SEEN
CRV33A2	NO PARSITES SEEN
CRV33B1	NO PARSITES SEEN
CRV33B2	NO PARSITES SEEN
CRV33C1	NO PARSITES SEEN
CRV33C2	NO PARSITES SEEN
CRV34A1	NO PARSITES SEEN
CRV34A2	NO PARSITES SEEN
CRV35A1	NO PARSITES SEEN
CRV35A2	NO PARSITES SEEN
CRV43A1	NO PARSITES SEEN
CRV43A2	NO PARSITES SEEN
CRV44A1	NO PARSITES SEEN

Lab Animal Fecal Flotation

Animal ID	Fecal Flotation
CRV44A2	NO PARSITES SEEN
CRV44B1	NO PARSITES SEEN
CRV44B2	NO PARSITES SEEN
CRV44C1	NO PARSITES SEEN
CRV44C2	NO PARSITES SEEN
CRV44D1	NO PARSITES SEEN
CRV44D2	NO PARSITES SEEN
CRV44E/F1	NO PARSITES SEEN
CRV48C1	NO PARSITES SEEN
CRV44E/F2	NO PARSITES SEEN
CRV48C2	NO PARSITES SEEN
CRV45A1	NO PARSITES SEEN
CRV48D1	NO PARSITES SEEN
CRV45A2	NO PARSITES SEEN
CRV48D2	NO PARSITES SEEN
CRV45B1	NO PARSITES SEEN
CRV48E1	NO PARSITES SEEN
CRV45B2	NO PARSITES SEEN
CRV48E2	NO PARSITES SEEN
CRV45C1	NO PARSITES SEEN
CRV49A1	NO PARSITES SEEN
CRV45C2	NO PARSITES SEEN
CRV49A2	NO PARSITES SEEN
CRV45D1	NO PARSITES SEEN
EXTRA 1	NO PARSITES SEEN
CRV45D2	NO PARSITES SEEN
EXTRA 2	NO PARSITES SEEN
CRV46A1	NO PARSITES SEEN
CRV46A2	NO PARSITES SEEN
CRV48A1	NO PARSITES SEEN
CRV48A2	NO PARSITES SEEN
CRV48F1	NO PARSITES SEEN
CRV48F2	NO PARSITES SEEN

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV16A1	Colon	Helicobacter spp.	Negative
CRV18A1	Colon	Helicobacter spp.	Negative
CRV18B1	Colon	Helicobacter spp.	Negative
CRV19A1	Colon	Helicobacter spp.	Negative
CRV20A1	Colon	Helicobacter spp.	Negative
CRV26A1	Colon	Helicobacter spp.	Negative
CRV26B1	Colon	Helicobacter spp.	Negative
CRV26C1	Colon	Helicobacter spp.	Negative
CRV26D1	Colon	Helicobacter spp.	Negative
CRV26E1	Colon	Helicobacter spp.	Negative
CRV26F1	Colon	Helicobacter spp.	Negative
CRV26I1	Colon	Helicobacter spp.	Negative
CRV26J1	Colon	Helicobacter spp.	Negative
CRV26K1	Colon	Helicobacter spp.	Negative
CRV26L1	Colon	Helicobacter spp.	Positive

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV27A1	Colon	Helicobacter spp.	Negative
CRV27B1	Colon	Helicobacter spp.	Negative
CRV27C/D1	Colon	Helicobacter spp.	Negative
CRV27E1	Colon	Helicobacter spp.	Negative
CRV27F1	Colon	Helicobacter spp.	Negative
CRV27G1	Colon	Helicobacter spp.	Negative
CRV27I1	Colon	Helicobacter spp.	Negative
CRV28A/B1	Colon	Helicobacter spp.	Negative
CRV28C1	Colon	Helicobacter spp.	Negative
CRV28D1	Colon	Helicobacter spp.	Negative
CRV28E/F1	Colon	Helicobacter spp.	Negative
CRV28G/H1	Colon	Helicobacter spp.	Negative
CRV28I/J1	Colon	Helicobacter spp.	Negative
CRV32A1	Colon	Helicobacter spp.	Negative
CRV33A1	Colon	Helicobacter spp.	Negative
CRV33B1	Colon	Helicobacter spp.	Negative
CRV33C1	Colon	Helicobacter spp.	Negative
CRV34A1	Colon	Helicobacter spp.	Negative
CRV35A1	Colon	Helicobacter spp.	Negative
CRV43A1	Colon	Helicobacter spp.	Negative
CRV44A1	Colon	Helicobacter spp.	Negative
CRV44B1	Colon	Helicobacter spp.	Negative
CRV44C1	Colon	Helicobacter spp.	Negative
CRV44D1	Colon	Helicobacter spp.	Positive
CRV44E/F1	Colon	Helicobacter spp.	Negative
CRV48C1	Colon	Helicobacter spp.	Negative
CRV45A1	Colon	Helicobacter spp.	Positive
CRV48D1	Colon	Helicobacter spp.	Negative
CRV45B1	Colon	Helicobacter spp.	Negative
CRV48E1	Colon	Helicobacter spp.	Negative
CRV45C1	Colon	Helicobacter spp.	Negative
CRV49A1	Colon	Helicobacter spp.	Negative
CRV45D1	Colon	Helicobacter spp.	Negative
CRV46A1	Colon	Helicobacter spp.	Negative
CRV48A1	Colon	Helicobacter spp.	Negative
CRV48F1	Colon	Helicobacter spp.	Negative

Reported By

Sarah Bates, Lab Technician III

Report Date

June 6, 2014

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.