



Owner:

**UGA LIFE SCIENCE**  
C124 LIFE SCIENCE BLDG.  
Athens, GA 30602  
ALWORTH@UGA.EDU

**Accession Number:** A15-06116

**Received:** Aug 26, 2014

**Finalized:** Aug 29, 2014

**Species:** Exotic - Rodents

**Breed:** Mouse

RDVM:

**DR LEANNE ALWORTH**

Clinic:

**UGA LIFE SCIENCE**  
C124 LIFE SCIENCES BLDG.  
ACCT# 10-45-DM 005-007  
Athens, GA 30602  
(706) 542-0149  
ALWORTH@UGA.EDU, robink@uga.edu

**Lab Animal**

**URAR Mouse Minimum**

Comments

\*This Clostridium piliforme ELISA has been shown to result in a small number of false positive reactions, possibly due to non-specific antibodies to other anaerobic Gram positive organisms. The preferred method of detection is by fecal PCR. We strongly recommend a follow-up PCR on all ELISA positive animals.

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
CRV16A1	-	-	-	-	-	-	-	-
CRV16A2	-	-	-	-	-	-	-	-
CRV18A1	-	-	-	-	-	-	-	-
CRV18A2	-	-	-	-	-	-	-	-
CRV18B1	-	-	-	-	-	-	-	-
CRV18B2	-	-	-	-	-	-	-	-
CRV19A1	-	-	-	-	-	-	-	-
CRV19A2	-	-	-	-	-	-	-	-
CRV20A1	-	-	-	-	-	-	-	-
CRV20A2	-	-	-	-	-	-	-	-
CRV26A1	-	-	-	-	-	-	-	-
CRV26A2	-	-	-	-	-	-	-	-
CRV26B1	-	-	-	-	-	-	-	-
CRV26B2	-	-	-	-	-	-	-	-
CRV26C1	-	-	-	-	-	-	-	-
CRV26C2	-	-	-	-	-	-	-	-
CRV26D1	-	-	-	-	-	-	-	-
CRV26D2	-	-	-	-	-	-	-	-
CRV26E1	-	-	-	-	-	-	-	-
CRV26E2	-	-	-	-	-	-	-	-
CRV26F1	-	-	-	-	-	-	-	-
CRV26F2	-	-	-	-	-	-	-	-
CRV26G1	-	-	-	-	-	-	-	-
CRV26G2	-	-	-	-	-	-	-	-
CRV26H1	-	-	-	-	-	-	-	-

Tissue was tested for *C. piliforme* by PCR on 9-3-2014. Results were **NEGATIVE**.

**URAR Mouse Minimum**

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
CRV26H2	-	-	-	-	-	-	-	-
CRV26-I1	-	-	-	-	-	-	-	-
CRV26-I2	-	-	-	-	-	-	-	-
CRV26J1	-	-	-	-	-	-	-	-
CRV26J2	-	-	-	-	-	-	-	-
CRV27A1	-	-	-	-	-	-	-	-
CRV27A2	-	-	-	-	-	-	-	-
CRV27B1	-	-	-	-	-	-	-	-
CRV27B2	-	-	-	-	-	-	-	-
CRV27C/D1	-	-	-	-	-	-	-	-
CRV27C/D2	-	-	-	-	-	-	-	-
CRV27E1	-	-	-	-	-	-	-	-
CRV27E2	-	-	-	-	-	-	-	-
CRV27F1	-	-	-	-	-	-	-	-
CRV27F2	-	-	-	-	-	-	-	-
CRV27G1	-	-	-	-	-	-	-	-
CRV27G2	-	-	-	-	-	-	-	-
CRV27H1	-	-	-	-	-	-	-	-
CRV27H2	-	-	-	-	-	-	-	-
CRV27I1	-	-	-	-	-	-	-	-
CRV27I2	-	-	-	-	-	-	-	-
CRV28A/B1	-	-	-	-	-	-	-	-
CRV28A/B2	-	-	-	-	-	-	-	-
CRV28C1	-	-	-	-	-	-	-	-
CRV28C2	-	-	-	-	-	-	-	-
*CRV28D1	-	-	-	-	+	-	-	-
CRV28D2	-	-	-	-	-	-	-	-
CRV28E/F1	-	-	-	-	-	-	-	-
CRV28E/F2	-	-	-	-	-	-	-	-
CRV28G/H1	-	-	-	-	-	-	-	-
CRV28G/H2	-	-	-	-	-	-	-	-
CRV28I/J1	-	-	-	-	-	-	-	-
CRV28I/J2	-	-	-	-	-	-	-	-
CRV32A1	-	-	-	-	-	-	-	-
CRV32A2	-	-	-	-	-	-	-	-
CRV32B1	-	-	-	-	-	-	-	-
CRV32B2	-	-	-	-	-	-	-	-
CRV33A1	-	-	-	-	-	-	-	-
CRV33A2	-	-	-	-	-	-	-	-
CRV33B1	-	-	-	-	-	-	-	-
CRV33B2	-	-	-	-	-	-	-	-
CRV33C1	-	-	-	-	-	-	-	-
CRV33C2	-	-	-	-	-	-	-	-
CRV34A1	-	-	-	-	-	-	-	-
CRV34A2	-	-	-	-	-	-	-	-
CRV35A1	-	-	-	-	-	-	-	-
CRV35A2	-	-	-	-	-	-	-	-
CRV43A1	-	-	-	-	-	-	-	-
CRV43A2	-	-	-	-	-	-	-	-
CRV44A1	-	-	-	-	-	-	-	-
CRV44A2	-	-	-	-	-	-	-	-
CRV44B1	-	-	-	-	-	-	-	-
CRV44B2	-	-	-	-	-	-	-	-
CRV44C1	-	-	-	-	-	-	-	-

**URAR Mouse Minimum**

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
CRV44C2	-	-	-	-	-	-	-	-
CRV44D1	-	-	-	-	-	-	-	-
CRV44D2	-	-	-	-	-	-	-	-
CRV46A1	-	-	-	-	-	-	-	-
CRV46A2	-	-	-	-	-	-	-	-
CRV48A1	-	-	-	-	-	-	-	-
CRV48A2	-	-	-	-	-	-	-	-
CRV48B1	-	-	-	-	-	-	-	-
CRV48B2	-	-	-	-	-	-	-	-
CRV48C1	-	-	-	-	-	-	-	-
CRV48C2	-	-	-	-	-	-	-	-
CRV48D1	-	-	-	-	-	-	-	-
CRV48D2	-	-	-	-	-	-	-	-
CRV48E1	-	-	-	-	-	-	-	-
CRV48E2	-	-	-	-	-	-	-	-
CRV49A1	-	-	-	-	-	-	-	-
CRV49A2	-	-	-	-	-	-	-	-

Reported By

Sarah Bates, Lab Technician III

Report Date

August 29, 2014

Test Interpretation

+ - Positive - -Negative B - Borderline I - Inconclusive S - Suspect

Results authorized by Dr. Susan Sanchez, Section Head.

**Lab Animal Fecal Flotation**

Animal ID	Fecal Flotation
CRV16A1	NO PARASITES SEEN
CRV16A2	NO PARASITES SEEN
CRV18A1	NO PARASITES SEEN
CRV18A2	NO PARASITES SEEN
CRV18B1	NO PARASITES SEEN
CRV18B2	NO PARASITES SEEN
CRV19A1	NO PARASITES SEEN
CRV19A2	NO PARASITES SEEN
CRV20A1	NO PARASITES SEEN
CRV20A2	NO PARASITES SEEN
CRV26A1	NO PARASITES SEEN
CRV26A2	NO PARASITES SEEN
CRV26B1	NO PARASITES SEEN

**Lab Animal Fecal Flotation**

Animal ID	Fecal Flotation
CRV26B2	NO PARASITES SEEN
CRV26C1	NO PARASITES SEEN
CRV26C2	NO PARASITES SEEN
CRV26D1	NO PARASITES SEEN
CRV26D2	NO PARASITES SEEN
CRV26E1	NO PARASITES SEEN
CRV26E2	NO PARASITES SEEN
CRV26F1	NO PARASITES SEEN
CRV26F2	NO PARASITES SEEN
CRV26G1	NO PARASITES SEEN
CRV26G2	NO PARASITES SEEN
CRV26H1	NO PARASITES SEEN
CRV26H2	NO PARASITES SEEN
CRV26-I1	NO PARASITES SEEN
CRV26-I2	NO PARASITES SEEN
CRV26J1	NO PARASITES SEEN
CRV26J2	NO PARASITES SEEN
CRV27A1	NO PARASITES SEEN
CRV27A2	NO PARASITES SEEN
CRV27B1	NO PARASITES SEEN
CRV27B2	NO PARASITES SEEN
CRV27C/D1	NO PARASITES SEEN
CRV27C/D2	NO PARASITES SEEN
CRV27E1	NO PARASITES SEEN
CRV27E2	NO PARASITES SEEN
CRV27F1	NO PARASITES SEEN
CRV27F2	NO PARASITES SEEN
CRV27G1	NO PARASITES SEEN

**Lab Animal Fecal Flotation**

Animal ID	Fecal Flotation
CRV27G2	NO PARASITES SEEN
CRV27H1	NO PARASITES SEEN
CRV27H2	NO PARASITES SEEN
CRV27I1	NO PARASITES SEEN
CRV27I2	NO PARASITES SEEN
CRV28A/B1	NO PARASITES SEEN
CRV28A/B2	NO PARASITES SEEN
CRV28C1	NO PARASITES SEEN
CRV28C2	NO PARASITES SEEN
*CRV28D1	NO PARASITES SEEN
CRV28D2	NO PARASITES SEEN
CRV28E/F1	NO PARASITES SEEN
CRV28E/F2	NO PARASITES SEEN
CRV28G/H1	NO PARASITES SEEN
CRV28G/H2	NO PARASITES SEEN
CRV28I/J1	NO PARASITES SEEN
CRV28I/J2	NO PARASITES SEEN
CRV32A1	NO PARASITES SEEN
CRV32A2	NO PARASITES SEEN
CRV32B1	NO PARASITES SEEN
CRV32B2	NO PARASITES SEEN
CRV33A1	NO PARASITES SEEN
CRV33A2	NO PARASITES SEEN
CRV33B1	NO PARASITES SEEN
CRV33B2	NO PARASITES SEEN
CRV33C1	NO PARASITES SEEN
CRV33C2	NO PARASITES SEEN
CRV34A1	NO PARASITES SEEN

**Lab Animal Fecal Flotation**

Animal ID	Fecal Flotation
CRV34A2	NO PARASITES SEEN
CRV35A1	NO PARASITES SEEN
CRV35A2	NO PARASITES SEEN
CRV43A1	NO PARASITES SEEN
CRV43A2	NO PARASITES SEEN
CRV44A1	NO PARASITES SEEN
CRV44A2	NO PARASITES SEEN
CRV44B1	NO PARASITES SEEN
CRV44B2	NO PARASITES SEEN
CRV44C1	NO PARASITES SEEN
CRV44C2	NO PARASITES SEEN
CRV44D1	NO PARASITES SEEN
CRV44D2	NO PARASITES SEEN
CRV46A1	NO PARASITES SEEN
CRV46A2	NO PARASITES SEEN
CRV48A1	NO PARASITES SEEN
CRV48A2	NO PARASITES SEEN
CRV48B1	NO PARASITES SEEN
CRV48B2	NO PARASITES SEEN
CRV48C1	NO PARASITES SEEN
CRV48C2	NO PARASITES SEEN
CRV48D1	NO PARASITES SEEN
CRV48D2	NO PARASITES SEEN
CRV48E1	NO PARASITES SEEN
CRV48E2	NO PARASITES SEEN
CRV49A1	NO PARASITES SEEN
CRV49A2	NO PARASITES SEEN

Test Interpretation

**Lab Animal Fecal Flotation**

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

**Lab Animal PCR**

Animal ID	Specimen Desc	PCR	PCR Result
CRV16A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV18A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV18B1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV19A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV20A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26B1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV26C1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26D1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26E1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV26F1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26G1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26H1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV26-I1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV26J1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27B1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27C/D1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27E1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27F1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV27G1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27H1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV27I1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV28A/B1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV28C1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
*CRV28D1	Colon - COLON W/ FECES	Helicobacter spp.	Negative

**Lab Animal PCR**

Animal ID	Specimen Desc	PCR	PCR Result
CRV28E/F1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV28G/H1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV28I/J1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV32A1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV32B1	Colon - COLON W/ FECES	Helicobacter spp.	Positive
CRV33A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV33B1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV33C1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV34A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV35A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV43A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV44A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV44B1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV44C1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV44D1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV46A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV48A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV48B1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV48C1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV48D1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV48E1	Colon - COLON W/ FECES	Helicobacter spp.	Negative
CRV49A1	Colon - COLON W/ FECES	Helicobacter spp.	Negative

## Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.  
Reported By  
Paula Bartlett-Lab Manager  
Report Date  
August 29, 2014