THE UNIVERSITY OF GEORGIA® VETERINARY Diagnostic Laboratories

Athens Veterinary Diagnostic Laboratory

Accession Number: A15-16406 Received: Dec 01, 2014

Species: Exotic - Rodents

Finalized: Dec 04, 2014

College of Veterinary Medicine University of Georgia Athens, GA 30602

Phone: 706-542-5568 Fax: 706-542-5977 www.vet.uga.edu/dlab

Owner:

UGA LIFE SCIENCE

C124 LIFE SCIENCE BLDG. Athens, GA 30602 ALWORTH@UGA.EDU

RDVM:

DR LEANNE ALWORTH

Clinic:

UGA LIFE SCIENCE

C124 LIFE SCIENCES BLDG. ACCT# 10-45-DM 005-007 Athens, GA 30602 (706) 542-0149 robink@uga.edu, ALWORTH@UGA.EDU

Lab Animal

URAR Mouse Minimum

Animal ID	Mpv	Ns-1	Mvm	Mhv	Cpil	Gdvii	Edim	Send
LIFE27A1,A2	-	-	-	-	-	-	-	-
LIFE27A2	-	-	-	-	-	-	-	-
LIFE28A1,A2	-	-	-	-	-	-	-	-
LIFE28A2	-	-	-	-	-	-	-	-
LIFE28B1,B2	-	-	-	-	-	-	-	-
LIFE28B2	-	-	-	-	-	-	-	-

Test Interpretation

+ - Positive - - Negative B - Borderline I - Inconclusive S - Suspect

Results authorized by Dr. Susan Sanchez, Section Head.

Reported By

Paula Bartlett-Lab Manager

Report Date

December 4, 2014

Lab Animal Fecal Flotation

Animal ID	Fecal Flotation				
LIFE27A1,A2	No Parasites Seen				
LIFE27A2	No Parasites Seen				
LIFE28A1,A2	No Parasites Seen				
LIFE28A2	No Parasites Seen				
LIFE28B1,B2	No Parasites Seen				
LIFE28B2	No Parasites Seen				
LIFE8A1	No Parasites Seen				
LIFE8A2	No Parasites Seen				

Reported By

Dana L Ambrose, AHT, BA, MS Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

Lab Animal PCR

Accession Number: A15-16406 Thursday, 18 Dec 2014 8:39 AM

Status: Finalized

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result	
LIFE27A1,A2	Other - COLON W/	Helicobacter spp.	Negative	
	FECES			
LIFE28A1,A2	Other - COLON W/	Helicobacter spp.	Negative	
	FECES			
LIFE28B1,B2	Other - COLON W/	Helicobacter spp.	Negative	
	FECES			

Reported By

FERNANDEZ-MARRERO, INGRID

Report Date

December 2, 2014

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.

URAR Rat Minimum

Animal ID	Rpv	H-1	Mpul	Krv	Rmv	Ns-1	Send	Pvm	Sda	RTV	Reo
LIFE8A1	-	-	-	-	-	-	-	-	-	-	-
LIFE8A2	-	-	-	-	-	-	-	-	-	-	-

Reported By

Paula Bartlett-Lab Manager

Report Date

December 3, 2014

Test Interpretation

+ - Positive - - Negative B - Borderline I - Inconclusive S - Suspect

Results authorized by Dr. Susan Sanchez, Section Head.

Status: Finalized Page 2 of 2