



THE UNIVERSITY OF GEORGIA® VETERINARY
Diagnostic Laboratories

Athens Veterinary Diagnostic Laboratory
College of Veterinary Medicine
University of Georgia
Athens, GA 30602
Phone: 706-542-5568 Fax: 706-542-5977
www.vet.uga.edu/dlab

Owner:

UGA LIFE SCIENCE
C124 LIFE SCIENCE BLDG.
Athens, GA 30602
ALWORTH@UGA.EDU

Accession Number: A15-26698

Received: Mar 03, 2015

Finalized: Mar 12, 2015

Species: Exotic - Rodents

Breed: Mouse

RDVM:

DR LEANNE ALWORTH

Clinic:

UGA LIFE SCIENCE
C124 LIFE SCIENCES BLDG.
ACCT# 10-45-DM 005-007
Athens, GA 30602
(706) 542-0149
robink@uga.edu, ALWORTH@UGA.EDU

Lab Animal

URAR Mouse Comprehensive

Comments

CRV27D2-MVM- Inconclusive.

The Inconclusive ELISA results should be interpreted as non-specific fluorescence because they cannot be confirmed by another serological assay. The Inconclusive specimens tested negative by MFIA at an outside laboratory.

Comments

CRV32B2- PVM-Inconclusive.

The Inconclusive ELISA results should be interpreted as non-specific fluorescence because they cannot be confirmed by another serological assay. The Inconclusive specimens tested negative by MFIA at an outside laboratory.

Comments

CRV33A1- K- Inconclusive.

The Inconclusive ELISA results should be interpreted as non-specific fluorescence because they cannot be confirmed by another serological assay. The Inconclusive specimens tested negative by MFIA at an outside laboratory.

Comments

CRV48B1-MPV-Borderline- Serum strongly hemolysed- Volume insufficient for confirmation testing.

URAR Mouse Comprehensive

Animal ID	Mpv	Ns-1	Mpul	Lcmv	Mav	Ectro	K	Poly	Mvm	Mhv	Cpil	Gdvii(T mev)	Edim	Send	Pvm
CRV16A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV16A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV16B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV16B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV18A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV18A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV19A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV19A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26C1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26C2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26D1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26D2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26E1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26E2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26G1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26G2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26H1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26H2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26I1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV26I2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27A/B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27A/B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27C1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27C2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27D1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27D2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27E1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27E2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27G1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27G2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27H1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27H2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27I1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV27I2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28A/B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28A/B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28C/D1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28C/D2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28E/F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28E/F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28G/H1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28G/H2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28I/J1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV28I/J2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV32A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

URAR Mouse Comprehensive

Animal ID	Mpv	Ns-1	Mpul	Lcmv	Mav	Ectro	K	Poly	Mvm	Mhv	Cpil	Gdvii(T mev)	Edim	Send	Pvm
CRV32A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV32B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV32B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CRV33A1	-	-	-	-	-	-		-	-	-	-	-	-	-	-
CRV33A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV33B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV33B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV33C1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV33C2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV34A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV34A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV35A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV35A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV43A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV43A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44C1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44C2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44D1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV44D2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV45A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV45A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV46A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV46A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48B1	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48C1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48C2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48D1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV48D2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV49A1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV49A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV49B1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRV49B2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRA 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRA 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Animal ID	Reo
CRV16A1	-
CRV16A2	-
CRV16B1	-
CRV16B2	-
CRV18A1	-
CRV18A2	-
CRV19A1	-
CRV19A2	-
CRV26A1	-
CRV26A2	-
CRV26B1	-

URAR Mouse Comprehensive

Animal ID	Reo
CRV26B2	-
CRV26C1	-
CRV26C2	-
CRV26D1	-
CRV26D2	-
CRV26E1	-
CRV26E2	-
CRV26F1	-
CRV26F2	-
CRV26G1	-
CRV26G2	-
CRV26H1	-
CRV26H2	-
CRV26I1	-
CRV26I2	-
CRV27A/B1	-
CRV27A/B2	-
CRV27C1	-
CRV27C2	-
CRV27D1	-
CRV27D2	-
CRV27E1	-
CRV27E2	-
CRV27F1	-
CRV27F2	-
CRV27G1	-
CRV27G2	-
CRV27H1	-
CRV27H2	-
CRV27I1	-
CRV27I2	-
CRV28A/B1	-
CRV28A/B2	-
CRV28C/D1	-
CRV28C/D2	-
CRV28E/F1	-
CRV28E/F2	-
CRV28G/H1	-
CRV28G/H2	-
CRV28I/J1	-
CRV28I/J2	-
CRV32A1	-
CRV32A2	-
CRV32B1	-
CRV32B2	-
CRV33A1	-
CRV33A2	-
CRV33B1	-
CRV33B2	-
CRV33C1	-
CRV33C2	-
CRV34A1	-
CRV34A2	-
CRV35A1	-

URAR Mouse Comprehensive

Animal ID	Reo
CRV35A2	-
CRV43A1	-
CRV43A2	-
CRV44A1	-
CRV44A2	-
CRV44B1	-
CRV44B2	-
CRV44C1	-
CRV44C2	-
CRV44D1	-
CRV44D2	-
CRV45A1	-
CRV45A2	-
CRV46A1	-
CRV46A2	-
CRV48A1	-
CRV48A2	-
CRV48B1	-
CRV48B2	-
CRV48C1	-
CRV48C2	-
CRV48D1	-
CRV48D2	-
CRV49A1	-
CRV49A2	-
CRV49B1	-
CRV49B2	-
EXTRA 1	-
EXTRA 2	-

Test Interpretation

+ - Positive - -Negative B - Borderline I - Inconclusive S - Suspect

Results authorized by Dr. Susan Sanchez, Section Head.

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV16A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV16A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV16B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV16B1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV18A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV18A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV19A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative

Lab Animal

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV19A1	Feces	Helicobacter spp. (genus)	Negative
CRV26A1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26A1	Feces	Helicobacter spp. (genus)	Negative
CRV26B1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26B1	Feces	Helicobacter spp. (genus)	Negative
CRV26C1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26C1	Feces	Helicobacter spp. (genus)	Positive
CRV26D1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26D1	Feces	Helicobacter spp. (genus)	Negative
CRV26E1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26E1	Feces	Helicobacter spp. (genus)	Negative
CRV26F1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26F1	Feces	Helicobacter spp. (genus)	Negative
CRV26G1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26G1	Feces	Helicobacter spp. (genus)	Positive
CRV26H1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26H1	Feces	Helicobacter hepaticus	Negative
CRV26I1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV26I1	Feces	Helicobacter spp. (genus)	Negative
CRV27A/B1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV27A/B1	Feces	Helicobacter spp. (genus)	Negative
CRV27C1	Feces	Pinworms (<i>Aspicularis tetrapтера, Syphacia obvelata & muris</i>)	Negative
CRV27C1	Feces	Helicobacter spp. (genus)	Negative

Lab Animal

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV27D1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV27D1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV27E1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV27E1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV27F1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV27F1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV27G1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV27G1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV27H1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV27H1	Feces	<i>Helicobacter</i> spp. (genus)	Positive
CRV27I1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV27I1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV28A/B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV28A/B1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV28C/D1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV28C/D1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV28E/F1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV28E/F1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV28G/H1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV28G/H1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV28I/J1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV28I/J1	Feces	<i>Helicobacter</i> spp. (genus)	Negative

Lab Animal

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV32A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV32A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV32B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV32B1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV33A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV33A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV33B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV33B1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV33C1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV33C1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV34A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV34A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV35A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV35A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV43A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV43A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV44A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV44A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV44B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV44B1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV44C1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV44C1	Feces	<i>Helicobacter</i> spp. (genus)	Negative

Lab Animal

Lab Animal PCR

Animal ID	Specimen Desc	PCR	PCR Result
CRV44D1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV44D1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV45A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV45A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV46A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV46A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV48A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV48A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV48B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV48B1	Feces	<i>Helicobacter hepaticus</i>	Negative
CRV48C1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV48C1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV48D1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV48D1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV49A1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV49A1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
CRV49B1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
CRV49B1	Feces	<i>Helicobacter</i> spp. (genus)	Negative
EXTRA 1	Feces	Pinworms (<i>Aspicularis tetraptera</i> , <i>Syphacia obvelata</i> & <i>muris</i>)	Negative
EXTRA 1	Feces	<i>Helicobacter</i> spp. (genus)	Negative

Report Date

March 6, 2015

Test Interpretation

Results authorized by Dr. Susan Sanchez, Section Head.
Reported By

Lab Animal

Lab Animal PCR

Reported By

FERNANDEZ-MARRERO, INGRID