

Test Results

Order #: 2015087546

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Billing Information

Payment Method
None specified

University of Georgia
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA

Details

Sample(s) from: Multiple locations

Collection Date	Scheduled Ship Date	Arrival Date	Approval Date
14-Sep-2015	09-Sep-2015	14-Sep-2015	22-Sep-2015

Notes

Routine quarterly QA CRV

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
IFA MNV-1	CRV33C2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV18A1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV18A2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV20A1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV20A2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV26A1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV26A2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV26B1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV26B2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV26C1 Sentinel Mice	1	0	1	0	0
MFIA MNV MFIA Mouse Tracking	CRV26C2 Sentinel Mice	1	0	1	0	0
MFIA MNV MFIA Mouse Tracking	CRV27A1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27A2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27B1 Sentinel Mice	1	1	0	0	0

Test Results

Order #: 2015087546

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MNV MFIA Mouse Tracking	CRV27B2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27C1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27C2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27E1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27E2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27F1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV27F2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28A/B1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28A/B2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28C/D1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28C/D2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28E/F1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28E/F2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28G/H1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV28G/H2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV32B1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV32B2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV33C2 Sentinel Mice	1	0	1	0	0
MFIA MNV MFIA Mouse Tracking	CRV43A1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV43A2 Sentinel Mice	1	1	0	0	0

Test Results

Order #: **2015087546**

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MNV MFIA Mouse Tracking	CRV44C1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV44C2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV44D1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV44D2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV48B1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV48B2 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV48C1 Sentinel Mice	1	1	0	0	0
MFIA MNV MFIA Mouse Tracking	CRV48C2 Sentinel Mice	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the SPF status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2015087546**

University of Georgia
 (U Georgia C126 Life Scis Bldg)
 Life Sciences Building
 Room C 126
 120 E Green Street
 Athens, GA 30602 USA
 Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Serology

Results approved by Castillo, Luz on 22 Sep 2015*

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
	CRV16A1	CRV16A2	CRV16B1	CRV16B2	CRV18A1	CRV18A2	CRV19A1	CRV19A2	CRV20A1	CRV20A2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	+	+	-	-	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>	<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>
	CRV26A1	CRV26A2	CRV26B1	CRV26B2	CRV26C1	CRV26C2	CRV26D1	CRV26D2	CRV26E1	CRV26E2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+/-	+/-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-
IFA MNV-1	-	-	-	-	-	-	-	-	-	-

Test Results

Order #: 2015087546

University of Georgia
 (U Georgia C126 Life Scis Bldg)
 Life Sciences Building
 Room C 126
 120 E Green Street
 Athens, GA 30602 USA
 Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Serology

Results approved by Castillo, Luz on 22 Sep 2015*

	<u>21</u> CRV26F1	<u>22</u> CRV26F2	<u>23</u> CRV26G1	<u>24</u> CRV26G2	<u>25</u> CRV26H1	<u>26</u> CRV26H2	<u>27</u> CRV26-I1	<u>28</u> CRV26-I2	<u>29</u> CRV26J1	<u>30</u> CRV26J2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

	<u>31</u> CRV27A1	<u>32</u> CRV27A2	<u>33</u> CRV27B1	<u>34</u> CRV27B2	<u>35</u> CRV27C1	<u>36</u> CRV27C2	<u>37</u> CRV27E1	<u>38</u> CRV27E2	<u>39</u> CRV27F1	<u>40</u> CRV27F2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

Test Results

Order #: **2015087546**

University of Georgia
 (U Georgia C126 Life Scis Bldg)
 Life Sciences Building
 Room C 126
 120 E Green Street
 Athens, GA 30602 USA
 Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Serology

Results approved by Castillo, Luz on 22 Sep 2015*

	<u>41</u> CRV27G1	<u>42</u> CRV27G2	<u>43</u> CRV27H1	<u>44</u> CRV27H2	<u>45</u> CRV27I1	<u>46</u> CRV27I2	<u>47</u> CRV2 8A/B1	<u>48</u> CRV2 8A/B2	<u>49</u> CRV2 8C/D1	<u>50</u> CRV2 8C/D2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

	<u>51</u> CRV2 8E/F1	<u>52</u> CRV2 8E/F2	<u>53</u> CRV2 8G/H1	<u>54</u> CRV2 8G/H2	<u>55</u> CRV2 8I/J1	<u>56</u> CRV2 8I/J2	<u>57</u> CRV32A1	<u>58</u> CRV32A2	<u>59</u> CRV32B1	<u>60</u> CRV32B2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	-	-	-	-	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

Test Results

Order #: **2015087546**

University of Georgia
 (U Georgia C126 Life Scis Bldg)
 Life Sciences Building
 Room C 126
 120 E Green Street
 Athens, GA 30602 USA
 Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Serology

Results approved by Castillo, Luz on 22 Sep 2015*

	<u>61</u> CRV33A1	<u>62</u> CRV33A2	<u>63</u> CRV33B1	<u>64</u> CRV33B2	<u>65</u> CRV33C1	<u>66</u> CRV33C2	<u>67</u> CRV34A1	<u>68</u> CRV34A2	<u>71</u> CRV43A1	<u>72</u> CRV43A2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	+/-	-	-	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-
IFA MNV-1						+				

	<u>73</u> CRV44A1	<u>74</u> CRV44A2	<u>75</u> CRV44B1	<u>76</u> CRV44B2	<u>77</u> CRV44C1	<u>78</u> CRV44C2	<u>79</u> CRV44D1	<u>80</u> CRV44D2	<u>81</u> CRV45A1	<u>82</u> CRV45A2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	+	+	+	+	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

Test Results

Order #: **2015087546**

University of Georgia
 (U Georgia C126 Life Scis Bldg)
 Life Sciences Building
 Room C 126
 120 E Green Street
 Athens, GA 30602 USA
 Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Serology

Results approved by Castillo, Luz on 22 Sep 2015*

	<u>83</u> CRV45B1	<u>84</u> CRV45B2	<u>85</u> CRV46A1	<u>86</u> CRV46A2	<u>87</u> CRV48A1	<u>88</u> CRV48A2	<u>89</u> CRV48B1	<u>90</u> CRV48B2	<u>91</u> CRV48C1	<u>92</u> CRV48C2
MFIA SEND	-	-	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-	-	-	-	-

	<u>93</u> CRV48D1	<u>94</u> CRV48D2	<u>95</u> CRV49A1	<u>96</u> CRV49A2	<u>97</u> CRV49B1	<u>98</u> CRV49B2
MFIA SEND	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-
MFIA MHV	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P
MFIA CPIL	-	-	-	-	-	-

Serology Profile: MFIA Mouse Tracking

Test Results

Order #: 2015087546

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically ≥ 7000 or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

**This report has been electronically signed by laboratory personnel. The name of the individual who approved these results appears in the header of this service report.*

Test Results

Order #: 2015087546

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Sample Information

Number	Code	Species	Colony
1	CRV16A1	Mouse	CRV16A1 Sentinel Mice
2	CRV16A2	Mouse	CRV16A2 Sentinel Mice
3	CRV16B1	Mouse	CRV16B1 Sentinel Mice
4	CRV16B2	Mouse	CRV16B2 Sentinel Mice
5	CRV18A1	Mouse	CRV18A1 Sentinel Mice
6	CRV18A2	Mouse	CRV18A2 Sentinel Mice
7	CRV19A1	Mouse	CRV19A1 Sentinel Mice
8	CRV19A2	Mouse	CRV19A2 Sentinel Mice
9	CRV20A1	Mouse	CRV20A1 Sentinel Mice
10	CRV20A2	Mouse	CRV20A2 Sentinel Mice
11	CRV26A1	Mouse	CRV26A1 Sentinel Mice
12	CRV26A2	Mouse	CRV26A2 Sentinel Mice
13	CRV26B1	Mouse	CRV26B1 Sentinel Mice
14	CRV26B2	Mouse	CRV26B2 Sentinel Mice
15	CRV26C1	Mouse	CRV26C1 Sentinel Mice
16	CRV26C2	Mouse	CRV26C2 Sentinel Mice
17	CRV26D1	Mouse	CRV26D1 Sentinel Mice
18	CRV26D2	Mouse	CRV26D2 Sentinel Mice
19	CRV26E1	Mouse	CRV26E1 Sentinel Mice
20	CRV26E2	Mouse	CRV26E2 Sentinel Mice
21	CRV26F1	Mouse	CRV26F1 Sentinel Mice
22	CRV26F2	Mouse	CRV26F2 Sentinel Mice
23	CRV26G1	Mouse	CRV26G1 Sentinel Mice
24	CRV26G2	Mouse	CRV26G2 Sentinel Mice
25	CRV26H1	Mouse	CRV26H1 Sentinel Mice
26	CRV26H2	Mouse	CRV26H2 Sentinel Mice
27	CRV26-I1	Mouse	CRV26-I1 Sentinel Mice
28	CRV26-I2	Mouse	CRV26-I2 Sentinel Mice
29	CRV26J1	Mouse	CRV26J1 Sentinel Mice
30	CRV26J2	Mouse	CRV26J2 Sentinel Mice
31	CRV27A1	Mouse	CRV27A1 Sentinel Mice
32	CRV27A2	Mouse	CRV27A2 Sentinel Mice
33	CRV27B1	Mouse	CRV27B1 Sentinel Mice

Test Results

Order #: 2015087546

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Sample Information

Number	Code	Species	Colony
34	CRV27B2	Mouse	CRV27B2 Sentinel Mice
35	CRV27C1	Mouse	CRV27C1 Sentinel Mice
36	CRV27C2	Mouse	CRV27C2 Sentinel Mice
37	CRV27E1	Mouse	CRV27E1 Sentinel Mice
38	CRV27E2	Mouse	CRV27E2 Sentinel Mice
39	CRV27F1	Mouse	CRV27F1 Sentinel Mice
40	CRV27F2	Mouse	CRV27F2 Sentinel Mice
41	CRV27G1	Mouse	CRV27G1 Sentinel Mice
42	CRV27G2	Mouse	CRV27G2 Sentinel Mice
43	CRV27H1	Mouse	CRV27H1 Sentinel Mice
44	CRV27H2	Mouse	CRV27H2 Sentinel Mice
45	CRV27I1	Mouse	CRV27I1 Sentinel Mice
46	CRV27I2	Mouse	CRV27I2 Sentinel Mice
47	CRV28A/B1	Mouse	CRV28A/B1 Sentinel Mice
48	CRV28A/B2	Mouse	CRV28A/B2 Sentinel Mice
49	CRV28C/D1	Mouse	CRV28C/D1 Sentinel Mice
50	CRV28C/D2	Mouse	CRV28C/D2 Sentinel Mice
51	CRV28E/F1	Mouse	CRV28E/F1 Sentinel Mice
52	CRV28E/F2	Mouse	CRV28E/F2 Sentinel Mice
53	CRV28G/H1	Mouse	CRV28G/H1 Sentinel Mice
54	CRV28G/H2	Mouse	CRV28G/H2 Sentinel Mice
55	CRV28I/J1	Mouse	CRV28I/J1 Sentinel Mice
56	CRV28I/J2	Mouse	CRV28I/J2 Sentinel Mice
57	CRV32A1	Mouse	CRV32A1 Sentinel Mice
58	CRV32A2	Mouse	CRV32A2 Sentinel Mice
59	CRV32B1	Mouse	CRV32B1 Sentinel Mice
60	CRV32B2	Mouse	CRV32B2 Sentinel Mice
61	CRV33A1	Mouse	CRV33A1 Sentinel Mice
62	CRV33A2	Mouse	CRV33A2 Sentinel Mice
63	CRV33B1	Mouse	CRV33B1 Sentinel Mice
64	CRV33B2	Mouse	CRV33B2 Sentinel Mice
65	CRV33C1	Mouse	CRV33C1 Sentinel Mice
66	CRV33C2	Mouse	CRV33C2 Sentinel Mice

Test Results

Order #: 2015087546

University of Georgia
(U Georgia C126 Life Scis Bldg)
Life Sciences Building
Room C 126
120 E Green Street
Athens, GA 30602 USA
Attn: Dr. Leanne Alworth

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Routine quarterly QA CRV

Sample Information

Number	Code	Species	Colony
67	CRV34A1	Mouse	CRV34A1 Sentinel Mice
68	CRV34A2	Mouse	CRV34A2 Sentinel Mice
69	CRV35A1	Mouse	CRV35A1 Sentinel Mice
70	CRV35A2	Mouse	CRV35A2 Sentinel Mice
71	CRV43A1	Mouse	CRV43A1 Sentinel Mice
72	CRV43A2	Mouse	CRV43A2 Sentinel Mice
73	CRV44A1	Mouse	CRV44A1 Sentinel Mice
74	CRV44A2	Mouse	CRV44A2 Sentinel Mice
75	CRV44B1	Mouse	CRV44B1 Sentinel Mice
76	CRV44B2	Mouse	CRV44B2 Sentinel Mice
77	CRV44C1	Mouse	CRV44C1 Sentinel Mice
78	CRV44C2	Mouse	CRV44C2 Sentinel Mice
79	CRV44D1	Mouse	CRV44D1 Sentinel Mice
80	CRV44D2	Mouse	CRV44D2 Sentinel Mice
81	CRV45A1	Mouse	CRV45A1 Sentinel Mice
82	CRV45A2	Mouse	CRV45A2 Sentinel Mice
83	CRV45B1	Mouse	CRV45B1 Sentinel Mice
84	CRV45B2	Mouse	CRV45B2 Sentinel Mice
85	CRV46A1	Mouse	CRV46A1 Sentinel Mice
86	CRV46A2	Mouse	CRV46A2 Sentinel Mice
87	CRV48A1	Mouse	CRV48A1 Sentinel Mice
88	CRV48A2	Mouse	CRV48A2 Sentinel Mice
89	CRV48B1	Mouse	CRV48B1 Sentinel Mice
90	CRV48B2	Mouse	CRV48B2 Sentinel Mice
91	CRV48C1	Mouse	CRV48C1 Sentinel Mice
92	CRV48C2	Mouse	CRV48C2 Sentinel Mice
93	CRV48D1	Mouse	CRV48D1 Sentinel Mice
94	CRV48D2	Mouse	CRV48D2 Sentinel Mice
95	CRV49A1	Mouse	CRV49A1 Sentinel Mice
96	CRV49A2	Mouse	CRV49A2 Sentinel Mice
97	CRV49B1	Mouse	CRV49B1 Sentinel Mice
98	CRV49B2	Mouse	CRV49B2 Sentinel Mice